

# VARIO PERGOLA

## SELF SUPPORTING SUNROOF



**HELIOSHADE**  
COLOUR DESIGN

*over 120 standard  
frame colours*



 BEAUFORT WIND SCALE  
Category 6

 5 YEAR WARRANTY

 **helioscreen**<sup>®</sup>  
Intelligent Sun Control Solutions<sup>®</sup>

# VARIO PERGOLA


## SELF SUPPORTING SUNROOF

Where there is not an existing pergola or other structure for shading courtyards, decks, and outdoor living areas, why not create an outdoor room with this clever new sun control solution.


The Vario-Pergola self-supporting sunroof adds a new dimension to the Helioscreen outdoor living range. The Vario-Pergola is suitable for a wide variety of applications and is more flexible than traditional conservatory or winter garden awning products. It can be installed using wall or ceiling brackets and doesn't require a classical substructure, as it supports itself on 60x60mm square front posts.

Lightweight but robust, the Vario-Pergola is based on the popular Varioscreen® system and comes with in-built water gutters on the side channels allowing outdoor areas to be utilised in light rain (min 14 degrees fall required).

Available in Helio 93, Helio 86, or Helioshade 100 Fabric ranges, the Vario-Pergola is an attractive addition to any building and extends your outdoor living space – all year round.



Coupled units



Single unit



Wall bracket



Side gutters

### SPECIFICATIONS


- All units custom powder-coated from over 120 standard colours (Dulux)
- Maximum width 6000mm per unit
- Maximum projection 6000mm per unit
- Maximum size 25sqm
- Tension system - Integrated positive lift (power-spring mechanism in the roller tube), which tightens the skin in any position (no coil springs or gas struts to replace ever!)
- Headbox size: 235mm x 154mm
- Single extruded reinforced front bar
- Oversized roller tube to avoid fabric sagging
- Side rails – extruded aluminium 110 x 91mm with integrated rain gutter
- Front posts – 60 x 60 x 4mm aluminium square tube. 150 x 150mm floor fixing plates
- Mounting – aluminium wall brackets with adjustable tilting range of 0 - 35°
- Top fix mounting brackets available
- All Vario-Pergola units come with fabric support roller(s) included






# VARIO PERGOLA


## MOUNTING SITUATIONS




Wall mount bracket



Wall installation of VARIO PERGOLA



Fixing plate for post



Ceiling installation of VARIO PERGOLA with angle towards the back or towards the front



# VARIO PERGOLA

## SELF SUPPORTING SUNROOF

### FEATURES

- 5 year warranty
- Reflect and absorb harmful UV radiation
- Motorised operation with remote control
- Automatic wind sensor retractor
- Single units can be butted side-by-side using a double centre rail
- Easy installation
- Beaufort wind scale 6 (39-49 km/h)



### **SUNTECA'S INDOOR AND OUTDOOR RANGE**

**90% Reduced Heat**      Windsensor Retractor  
**Radiation 5 Years Warranty**      Powered by Somfy 5yr Motor Warranty

Includes: Roller Blinds, Roman Blinds, Panel Glides,  
Blackouts, External Screens, Awnings, External Venetians,  
and Retractable Roof Systems, Folding Arm Awnings.  
Sunteca Pty Ltd  
[www.awnings.com.au](http://www.awnings.com.au) | [sales@blinds.com.au](mailto:sales@blinds.com.au) |  
Phone : 1300 853 518